

**LINCOLN MILLS**

MODEL No. L923



# Lady's Trellis Yoked Jumper



In "Daphne" Crochet Wool

MODEL No. L923 — Illustrated on Page 11

## MATERIALS REQUIRED

7 Skeins (1 oz.)

### LINCOLN MILLS "DAPHNE" CROCHET WOOL

1 pair No. 10 and 1 pair No. 12 knitting needles.  
1 short spare needle. 4 buttons.

**MEASUREMENTS**—To fit 34 inch bust. Length from top of shoulder, 19 inches. Sleeve seam, 5½ inches.

**TENSION**—7 sts. and 10 rows to 1 inch.

### ABBREVIATIONS—

(Cross P1, K2): Slip the next 2 sts. on to spare needle and place at front of work, purl 1 st., then K2 sts. from spare needle.

(Cross K2, P1): Slip the next st. on to spare needle and place at back of work, K2, then purl slipped stitch from spare needle.

(Cross K1, P2): Slip next 2 purl sts. on to spare needle, place at back of work, K1, then purl the slipped sts.

(Cross P2, K1): Slip the next st. on to spare needle, place at front of work, P2, then knit the slipped sts.  
Cross 4: Slip next 2 sts. on to spare needle, place at front of work, K2, then knit the slipped sts.

**BACK**—Using No. 12 needles, cast on 116 sts.

Knit in rib of K1, P1 for 33 rows.

**34th Row**—Rib 8, (increase in next st., rib 8) 12 times (128 sts.).

Change to No. 10 needles.

**1st Row**—(P8, K2) until 8 sts. remain, P8.

**2nd Row**—(K8, P2) until 8 sts. remain, K8.

Repeat these 2 rows 41 times.

**85th Row**—P8, \* (Cross P1, K2), P6, (Cross K2, P1), P8, repeat from \* to end of row.

**86th Row**—K9, \* (Cross K1, P2), K4, (Cross P2, K1), K10, repeat from \* to end of row, finishing with K9.

**87th Row**—P10, \* (Cross P1, K2), P2, (Cross K2 P1), P12, repeat from \* to end of row, finishing P10.

**88th Row**—K11, \* (Cross K1, P2), (Cross P2, K1), K14, repeat from \* to end of row, finishing K11.

**89th Row**—P12, \* Cross 4, P16, repeat from \* to end of row, finishing P12.

**90th Row**—K11, \* (Cross P2, K1), (Cross K1, P2), K14, repeat from \* to end of row, finishing K11.

**91st Row**—P10, \* (Cross K2, P1), P2, (Cross P1, K2), P12, repeat from \* to end of row, finishing P10.

**92nd Row**—K9, \* (Cross P2, K1), K4, (Cross K1, P2), K10, repeat from \* to end of row, finishing K9.

### Armhole Shaping—

**93rd Row**—Cast off 4 sts., P4, \* (Cross K2, P1), P6, (Cross P1, K2), P8, repeat from \* to end of row.

**94th Row**—Cast off 4 sts., K4, (P2, K8) until 6 sts. remain, P2, K4.

**95th Row**—Cast off 3 sts., P1, (K2, P8) until 6 sts. remain, K2, P4.

**96th Row**—Cast off 3 sts., K1, (P2, K8) until 3 sts. remain, P2, K1.

**97th Row**—P1, K2 tog., (P8, K2) until 11 sts. remain, P8, K2 tog., P1.

**98th Row**—K1, K2 tog., K7, (P2, K8) until 12 sts. remain, P2, K7, K2 tog., K1.

**99th Row**—P1, P2 tog., P6, \* (Cross P1, K2), P6, (Cross K2, P1), P8, repeat from \* to end of row, finishing P6, P2 tog., P1.

**100th Row**—K1, K2 tog., K6, \* (Cross K1, P2), K4, (Cross P2, K1), K10, repeat from \* to end of row, finishing K6, K2 tog., K1.

**101st Row**—P1, P2 tog., P6, \* (Cross P1, K2), P2, (Cross K2, P1), P12, repeat from \* to end of row, finishing P6, P2 tog., P1.

**102nd Row**—K1, K2 tog., K6, \* (Cross K1, P2), (Cross P2, K1), K14, repeat from \* to end of row, finishing K6, K2 tog., K1.

**103rd Row**—P1, P2 tog., P6, \* Cross 4, P16, repeat from \* to end, finishing P6, P2 tog., P1.

**104th Row**—K1, K2 tog., K4, \* (Cross P2, K1), (Cross K1, P2), K14, repeat from \* to end of row, finishing K4, K2 tog., K1.

**105th Row**—P1, P2 tog., P2, \* (Cross K2, P1), P2, (Cross P1, K2), P12, repeat from \* to end of row, finishing P2, P2 tog., P1.

**106th Row**—K1, K2 tog., \* (Cross P2, K1), K4, (Cross K1, P2), K10, repeat from \* until 13 sts. remain, (Cross P2, K1), K4, (Cross K1, P2), K2 tog., K1.

**107th Row**—P1, \* (Cross K2, P1), P6, (Cross P1, K2), P8, repeat from \* until 13 sts. remain, (Cross K2, P1), P6, (Cross P1, K2), P1.

**108th Row**—K1, P2 tog., (K8, P2) until 11 sts. remain, K8, P2 tog., K1.

**109th Row**—P1, P2 tog., P7, (K2, P8) until 12 sts. remain, K2, P7, P2 tog., P1.

**110th Row**—K1, K2 tog., K6, (P2, K8) until 11 sts. remain, P2, K6, K2 tog., K1.

**111th Row**—(P8, K2) until 8 sts. remain, P8.

**112th Row**—(K8, P2) until 8 sts. remain, K8.

**113th Row**—As 85th row.

**114th Row**—As 86th row.

**115th Row**—As 87th row.

**116th Row**—As 88th row.

**117th Row**—As 89th row.

**118th Row**—As 90th row.

Keeping continuity of pattern, work 43 rows.

**Shoulder Shaping**—Cast off 9 sts. at beginning of next 6 rows.

Cast off remaining sts. in pattern.

**FRONT**—Work exactly as for Back until 130th row has been completed.

### Neck Shaping—

**1st Row**—P2, Cross 4, P11, cast off 4 sts., P1, (Cross 4, P16) twice, Cross 4, P1, cast off 4 sts., P11, Cross 4, P2.

Continue in pattern on last 17 sts. only, increasing 1 st. at neck opening in next and every alternate row following until there are 27 sts. on needle. Work 7 rows in pattern.

Continued on Page 14

## STAR STITCH JACKET *Continued from Page 16*

**1st Row**—Knit.  
**2nd Row**—Purl. Repeat 1st and 2nd rows, 4 times.  
 Cast off.

**POCKET LINING**—Pick up and knit 36 sts. for pocket lining along cast-on edge of pocket opening. Work in stocking stitch for 32 rows. Cast off.

**BAND**—With right side of work facing and using No. 10 needles, pick up and knit 332 sts. round fronts and neck of garment. (154 from bottom to shoulder seam up right front, 24 across back of neck and 154 from shoulder seam down left front.)

**1st Row**—Knit.  
**2nd Row**—Purl. Repeat rows 1 and 2, 6 times. Cast off.

Press borders on pocket tops and jacket front. Fold in half so that the purl stitch is outside and slip stitch cast off edge to first row. Sew pocket linings in position on inside of jacket.

**Shoulder Pads**—Cast on 3 sts. and work in stocking stitch, increasing 1 st. each end of every row until 27 sts. on needle, then 1 st. each end of every plain row until there are 37 sts. on needle. Work 12 rows without further increase. Continue in stocking stitch, decreasing 1 st. each end of every plain row until 27

sts. remain, then 1 st. each end of every row until 3 sts. remain. Cast off. Fold in half, point to point. Pad with cotton wool cut to same shape. Join seams. Stitch into position, point to shoulder seam, and pad seams to sleeve seams.

## JUMPER WITH BERRY STITCH PANELS

*Continued from Page 6*

**4th and 6th Rows**—Knit.

**5th Row**—P1 (P3 tog., K1, P1, K1 into next st.) to last st., P1.

**7th Row**—As 3rd row.

**8th and 9th Rows**—Purl.

Cast off.

**To Make Up**—Press work. Join side and sleeve seams. Fit in sleeves. Work 2 rows of double crochet all round bottom and sleeve edges. Work 3 rows of double crochet on left side of back opening, making 3 loop buttonholes in 2nd row. Sew the three cast-on sts. to inside of jumper at base of opening. Sew 3 buttons in position.

## LADY'S TRELLIS YOKED JUMPER *Continued from Page 10*

### Shoulder Shaping—

**1st Row**—Cast off 9 sts., work in pattern to end of row.

**2nd Row**—Work in pattern.

Repeat these 2 rows once.

Cast off remaining sts.

Join wool to the 17 sts. on other shoulder and complete to correspond with side already worked.

With wrong side of work facing join wool to remaining sts.

**1st Row**—Work in pattern.

**2nd Row**—P4, (Cross P1, K2), P7, cast off 18 sts., P7, (Cross K2, P1), P4.

Working on last 14 sts. only, decrease 1 st. at each end of next and every alternate row following until 2 sts. remain.

Fasten securely.

Complete the other side of neck front to correspond.

**SLEEVES**—Using No. 12 needles, cast on 88 sts. Knit in rib of K1, P1 for 12 rows.

Change to No. 10 needles.

**1st Row**—(P8, K2) until 8 sts. remain, P8.

**2nd Row**—(K8, P2) until 8 sts. remain, K8.

Repeat these 2 rows twice.

**7th Row**—\* P8, (Cross P1, K2), P6, (Cross K2, P1), repeat from \* until 8 sts. remain, P8.

**8th Row**—\* K9, (Cross K1, P2), K4, (Cross P2, K1), repeat from \* until 9 sts. remain, K9.

**9th Row**—P10, \* (Cross P1, K2), P2, (Cross K2, P1), P12, repeat from \* to end of row, finishing P10.

**10th Row**—K11, \* (Cross K1, P2), (Cross P2, K1), K14, repeat from \* to end of row, finishing K11.

**11th Row**—P12, (Cross 4, P16) 3 times, Cross 4, P12.

**12th Row**—K11, \* (Cross P2, K1), (Cross K1, P2), K14, repeat from \* 3 times, finishing with K11.

Keeping continuity of pattern as given for Back, and increasing 1 st. each end of 13th and every 10th row following, work until 94 sts. remain, at same time working the additional sts. into pattern. Work 8 rows in pattern.

**Armhole Shaping**—Cast off 3 sts. at beginning of next 4 rows. Decrease 1 st. each end of 5th and every alternate row following until 56 sts. remain, then every 4th row following until 46 sts. remain. Work 1 row. Decrease 1 st. each end of next 4 rows.

Cast off 10 sts. at beginning of next 2 rows.

Work 10 rows on remaining sts.

**SHOULDER PADS (2)**—Using No. 10 needles, cast on 20 sts.

**1st Row**—Knit.

**2nd Row**—K2, P16, K2. Repeat these 2 rows 9 times.

Cast off.

Press, fill with cotton wool and sew up sides.

Pin to measure and press both back and front of garment. Join shoulder seams.

**BACK NECK BAND**—With right side of work facing and commencing at outer edge of neck on right front, pick up and knit 96 sts. up sides and across back of neck. Knit 2 rows in rib of K1, P1, then increase 1 st. at beginning of each of next 4 rows. Work 3 more rows in rib. Cast off in rib.

**FRONT NECK BAND**—With right side of work facing and commencing at left side of neck front, pick and knit 74 sts. around front opening, having 14 sts. along each side, 1 st. at each point and 44 sts. across the front.

**1st Row**—(K1, P1) to end of row.

**2nd Row**—(K1, P1) 6 times, K1, (P1, K1) into each of next 2 sts., (P1, K1) 22 times, (P1, K1) into each of next 2 sts., (P1, K1) 6 times, P1.

**3rd Row**—Increase in first st., work in rib to end of row, increasing in last st.

**4th Row**—P1, (K1, P1) 7 times, K1 (P1, K1) into each of next 2 sts., (P1, K1) 22 times, (P1, K1) into next 2 sts., (P1, K1) 8 times.

**5th Row**—As 3rd row.

**6th Row**—(K1, P1) twice, K1, cast off 4 sts., (P1, K1) twice, P1, cast off 4 sts., K1 (P1, K1) into each of next 2 sts., (P1, K1) 22 times, (P1, K1) into each of next 2 sts., P1, K1; cast off 4 sts., (P1, K1) twice, P1, cast off 4 sts., (K1, P1) twice.

**7th Row**—Work in rib, casting on 4 sts. in place of those cast off in previous row.

Work 2 rows in rib.

Cast off in rib.

**To Make Up**—Pin to measure and press all pieces. Sleeves, and sew in sleeves, placing seam to seam. Sew Join side and sleeve seams. Join shapings at top of ends of neck ribbing in position, also shoulder pads and buttons. Press all seams.

## KNITTING NOTES

**TO DECREASE:** (1) Knit or Purl 2 stitches together by placing the needle through both stitches before putting the wool around the needle. (2) Work to the stitches which are to be decreased, then Slip 1, Knit 1, pass Slip Stitch over. (3) Knit 2 together through back of loops.

**MATCHING DECREASES:** To make right and left hand decreases match when decreasing in a skirt or wherever stitches are required to fall in a corresponding manner work thus:—Knit 2 together, work the number of stitches that occur between decreases, then Knit 2 together through back of stitches.

**TO INCREASE:** (1) Knit twice into the stitch, by first knitting into the front then into the back of the same stitch.

**INVISIBLE INCREASE:** (2) Knit into the stitch directly below the one on left hand needle, then into the stitch on the needle.

**INCREASE (3) (with a hole):** (a) On a Knit row, bring wool forward before knitting the next stitch on needle. (b) On a Purl row place wool over needle to back, then forward to front ready to purl the next stitch.

**JOINING SEAMS:** Sew seams by placing both edges together on wrong side of work and sew together with

flat seams, taking a stitch from each side alternately.

**GRAFTING:** Having an equal number of stitches on two knitting needles placed together, work from front needle, using a needle threaded with the end of wool: \* Place needle through first stitch on front needle as if to knit. Take off: Place needle through second stitch on front needle as if to purl. Leave on: Place needle through first stitch on back needle as if to purl. Take off: Place needle through second stitch on back needle as if to knit. Leave on: Repeat from \* working all stitches off.

**TO JOIN WOOL:** Separate the strands in each end of wool, removing half the number of strands from each end, place the threads alternately together and rub until ends unite.

**TO PICK UP STITCHES AROUND NECK-LINE:** When picking up stitches around neck or edges, holes often occur and can be avoided by twisting the stitch before knitting through it.

**SHOULDER SHAPING:** When working a shoulder shaping, either by the cast-off method or by working to within a certain number of stitches, a gap between shapings can be avoided by always slipping the first stitch.

## WASHING HINTS

1. Dissolve soap flakes THOROUGHLY in warm water.
2. GENTLY squeeze garment in the solution; **DO NOT RUB**, as this would fluff the wool.
3. Do not STRETCH and WET garment in any way—support with the hands when lifting from the water.
4. RINSE in SEVERAL warm and cold waters, THOROUGHLY, to remove soap.
5. SQUEEZE well.
6. To dry, place on a clean towel on a FLAT SURFACE mould to shape with the hands, cover with clean paper, and leave until dry.

This book is prepared and published by Lincoln Mills (Australia) Limited, Gaffney Street, Coburg, Australia. All Rights Reserved.

## FANCY RIB CARDIGAN JACKET

*Continued from Page 8*

**Armhole Shaping**—Cast off 5 sts., pattern to end of row. Keeping continuity of pattern, decrease 1 st. at armhole edge every row, 4 times.

**6th Row**—K1, P1, K3, P1, S1, K1, p.s.s.o., P1, K2, (P1, K1) twice, K1, P2, K1, P1, K3, P1, K1, P2, K2, P1, K1, P1, K2 tog.

**7th Row**—P2 tog., (K1, P1) twice, P1, K2, P1, K1, P3, K1, P1, K2, P2, (K1, P1) twice, (P1, K1) twice, P3, K1, P1.

Allowing for decreased sts. inside border, continue in pattern without further shaping at armhole edge, and decreasing at front edge by slipping the 7th st. and passing it over the 8th every 4 rows until 24 sts. remain. Continue without further shaping until there are 33 complete patterns. Work 1 row.

**Shoulder Shaping**—Cast off 6 sts. at armhole end of 1st and 3rd rows and 5 sts. at beginning of 5th row.

Join shoulder seams and continue in pattern on border sts. of both fronts until sufficiently long to meet at centre back.

Graft together or, if preferred, cast off and join.

**SLEEVES**—Using No. 6 needles, cast on 37 sts.

**1st Row**—\* (P1, K1) twice, P2, K1, P5, K1, P2, K1, P1, K1, repeat from \* once, P1.

**2nd Row**—\* (K1, P1) twice, K2, P1, K5, P1, K2, P1, K1, P1, repeat from \* once, K1.

**3rd Row**—\* K1, P1, K2, P2, K1, P1, K3, P1, K1, P2, K2, P1, repeat from \* once, K1.

**4th Row**—\* P1, K1, P2, K2, P1, K1, P3, K1, P1, K2, P2, K1, repeat from \* once, P1.

Continue in pattern, increasing 1 st. each end of 9th and every 6th row following until there are 49 sts. on needle, then every 8th row following until there are 61 sts. on needle.

Continue without further shaping until there are 26 complete patterns.


**Armhole Shaping**—Cast off 5 sts. at beginning of next 2 rows, then decrease 1 st. each end of 3rd and every 4th row following until 31 sts. remain. Work 1 row. Cast off 9 sts. at beginning of next 2 rows. Continue in pattern for 8 rows.

**Next Row**—K1, (K2 tog.) across row, casting off at same time.

**To Make Up**—Join side and sleeve seams. Fit in sleeves. Stitch pocket linings in position and neck border across back of neck. Sew buttons in place to correspond with buttonholes.

**SHOULDER PADS**—Cast on 7 sts. Knit in stocking stitch, increasing 1 st. each end of every row until there are 19 sts. on needle. Work 9 rows without further shaping, then decrease 1 st. each end of every row until 7 sts. remain. Cast off.

Fold in half, cast-on and cast-off edges together. Pad with cotton wool, cut to same shape, and stitch the edge together, place in position, pad seams to sleeve seams, and stitch.



# LINCOLN MILLS



HAND KNITTED  
**JACKETS**  
*and*  
**JUMPERS**  
*for Every  
Season*

NUMBER  
**666**

PRICE  
**6<sup>D</sup>**

MODEL No. L865